

Table XXXI.

(Mr. Chadwick's Report of 10th April, 1902, paragraphs 25 and 26.)

CITY OF VICTORIA AND HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs, arranged according to the Rain Year 1919-1920.

Figures are in Millions of Gallons to two places of decimals.

SEASON.	POKFULUM.		TAITAM.		WONG-NEI-CHONG.			TAITAM INTERMEDIATE AND TYTAM T.U.R.			Mint Dam and Blue Pool (Unfiltered).	Grand Total.	Rain-fall.	REMARKS.				
	In Reservoir 1st of Month.	Delivered into Tunnel.	Main. In Reservoir 1st of Month.	Bye-wash. In Reservoir 1st of Month.	Delivered into Tunnel.	In Reservoir 1st of Month.	In Tunnel.	In Reservoir 1st of Month.	In Reservoir 1st of Month.	Pumped into Gauge Basin.					Total Impounding Reservoirs 1st of Month.	Total Contents of Collected Streams. (Filtered).	sumption	
WET SEASON.	May,	17.10	25.52	1.40	179.94	5.85	...	195.90	892.00	92.45	1,244.48	2.65	208.11	4.49	212.60	6.950		
	June,	9.20	46.00	115.12	2.58	152.26	12.04	10.44	195.90	885.00	60.91	1,217.81	23.10	231.80	4.26	236.06	10.815	
	July,	33.84	57.86	207.33	6.35	101.16	22.65	20.55	195.90	1,017.00	6.31	1,483.07	46.73	226.30	2.62	228.92	19.430	
	August,	65.82	51.80	384.80	22.37	120.00	29.81	20.55	195.90	1,419.00	7.45	2,117.70	33.38	225.73	4.33	230.06	19.670	
DRY SEASON.	September,	66.00	39.61	384.80	22.37	142.39	30.23	19.89	195.90	1,419.00	...	2,118.30	22.11	224.00	4.35	228.35	2.655	
	October,	56.94	17.47	342.52	4.27	176.23	13.66	9.45	196.37	1,416.83	148.93	2,030.59	23.07	226.22	3.56	229.78	4.695	Constant Supply throughout whole year.
	November,	54.20	13.28	348.68	4.42	175.74	6.51	7.99	197.31	1,274.92	168.54	1,886.04	.49	197.50	3.33	200.83	2.885	
	December,	48.14	8.40	358.32	3.38	177.63	1.19	...	190.77	1,120.00	176.61	1,721.80	7.84	193.87	3.77	197.64	7.25	
DRY SEASON.	January,	45.68	11.96	348.68	.70	173.59	1.94	...	162.34	991.99	164.20	1,551.33	7.42	192.97	3.96	196.93	.065	
	February,	34.51	9.20	310.47	1.40	168.91	1.98	...	160.18	847.00	161.45	1,355.54	2.17	180.28	3.78	184.06	2.640	
	March,	28.36	8.68	282.24	.41	181.72	2.19	.22	141.56	743.26	171.80	1,198.02	2.08	192.70	4.75	197.45	1.390	
	April,	20.70	16.84	255.76	.77	172.54	1.98	4.31	107.38	651.35	104.79	1,017.94	7.82	201.54	3.22	204.76	8.265	
	Total,	306.62	...	1,922.11	...	93.43	...	1,262.54	...	178.86	2,501.02	46.42	2,517.44	80.185	366	Constant Supply days.	

The Tytam Permanent Pumps worked from 1st May until 3rd August and from 5th October up to 21st April inclusive: a total of 261 days.

Estimated population, average for whole year,277,200.

Consumption per head for whole year,2.46 (including Trade Supply).

A. H. HOLLINGSWORTH,
Water Authority.

2nd July, 1920.