

HONGKONG.

**CITY OF VICTORIA
AND
HILL DISTRICT WATERWORKS.**

DETAILS OF CONTENTS OF
RESERVOIRS, &C., ARRANGED ACCORDING
TO THE RAIN-YEAR.

.. 1889-1905.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26).

*Laid before the Legislative Council by Command of
His Excellency the Governor.*

PRINTED BY NORONHA & Co.,
Government Printers.

1906.

Table I.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs, &c., arranged according to the Rain Year 1889-1890.

| MONTH. | POKFULAM. | | TAITAM. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1ST OF MONTH. | TOTAL CONSUMPTION. | RAINFALL. | REMARKS. |
|------------------|-----------------------------|-------------------------|----------------------------|-------------------------|--|--------------------|-----------|---------------------------------|
| | In Reservoir, 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | |
| May, | 50,998,000 | 23,881,000 | 230,175,000 | 42,979,000 | 281,173,000 | 66,860,000 | 48.84 | Constant supply. |
| June, | 66,330,000 | 27,096,000 | 300,300,000 | 11,795,000 | 366,630,000 | 38,891,000 | 9.72 | " |
| July, | 66,292,000 | 30,132,000 | 311,409,000 | 35,446,000 | 377,701,000 | 65,578,000 | 4.57 | " |
| August, | 62,958,000 | 28,901,000 | 312,000,000 | 46,872,000 | 374,958,000 | 75,773,000 | 18.14 | " |
| September, | 66,330,000 | 27,216,000 | 312,000,000 | 45,524,000 | 378,330,000 | 72,740,000 | 11.80 | " |
| October, | 66,330,000 | 25,355,000 | 311,112,000 | 46,684,000 | 377,442,000 | 72,039,000 | 8.72 | " |
| November, | 66,330,000 | 18,841,000 | 311,704,000 | 55,890,000 | 378,034,000 | 74,731,000 | 1.54 | " |
| December, | 61,330,000 | 19,469,000 | 304,140,000 | 45,474,000 | 365,470,000 | 64,943,000 | 0.17 | " |
| January, | 52,165,000 | 19,469,000 | 273,750,000 | 41,432,000 | 325,915,000 | 60,901,000 | 2.40 | " |
| February, | 41,155,000 | 17,675,000 | 242,250,000 | 37,422,000 | 283,405,000 | 55,097,000 | 1.47 | " |
| March, | 27,919,000 | 19,469,000 | 208,072,000 | 43,468,000 | 235,991,000 | 62,937,000 | 4.20 | " |
| April, | 20,764,000 | 18,841,000 | 177,538,000 | 46,534,000 | 198,302,000 | 65,375,000 | 1.96 | " |
| Total, | ... | 276,345,000 | ... | 499,520,000 | ... | 775,865,000 | 113.53 | Constant supply for whole year. |

Estimated average population for whole year,.....135,000

Consumption per head per day for whole year,..... 15.7.

Table II.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs, &c., arranged according to the Rain Year 1890-1891.

| MONTH. | POKFULAM. | | TAITAM. | | TOTAL CONTENTS OF IMPENDING RESERVOIRS, 1ST OF MONTH. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION. | RAINFALL. | REMARKS. |
|------------------|----------------------------|-------------------------|----------------------------|-------------------------|---|-------------------------|--------------------|-----------|-------------------------------|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | |
| May, | 5,492,000 | 14,246,000 | 141,275,000 | 56,546,000 | 146,767,000 | Nil. | 70,792,000 | 11.24 | Constant supply. |
| June, | 50,201,000 | 20,101,000 | 171,585,000 | 48,604,000 | 221,786,000 | " | 68,705,000 | 14.83 | " |
| July, | 66,330,000 | 16,827,000 | 274,300,000 | 55,114,000 | 340,630,000 | " | 71,941,000 | 22.00 | " |
| August, | 66,330,000 | 22,115,000 | 310,520,000 | 58,084,000 | 376,850,000 | " | 80,199,000 | 8.95 | " |
| September, | 66,330,000 | 16,665,000 | 308,750,000 | 55,667,000 | 375,080,000 | " | 72,332,000 | 1.94 | " |
| October, | 61,128,000 | 17,064,000 | 281,983,000 | 50,322,000 | 343,111,000 | " | 67,386,000 | 0.02 | " |
| November, | 50,549,000 | 12,960,000 | 235,730,000 | 50,280,000 | 286,279,000 | 9,160,000 | 73,400,000 | 0.01 | " |
| December, | 39,949,000 | 12,323,000 | 187,100,000 | 51,792,000 | 227,049,000 | 10,839,000 | 74,954,000 | 1.37 | " |
| January, | 31,906,000 | 9,709,000 | 130,000,000 | 49,988,000 | 161,906,000 | 15,552,000 | 74,249,000 | 0.04 | " |
| February, | 22,331,000 | 8,770,000 | 77,237,000 | 37,301,000 | 99,568,000 | 7,078,000 | 53,149,000 | 0.24 | Intermittent supply from 4th. |
| March, | 14,910,000 | 10,303,000 | 37,900,000 | 29,177,000 | 52,810,000 | 4,823,000 | 44,303,000 | 2.57 | Intermittent supply. |
| April, | 12,000,000 | 9,396,000 | 14,625,000 | 21,189,000 | 26,625,000 | 8,657,000 | 39,242,000 | 3.16 | " |
| Total, | ... | 170,479,000 | ... | 564,064,000 | ... | 56,109,000 | 790,652,000 | 66.97 | " |

Estimated average population for whole year, 143,402.

Consumption per head per day for whole year, 15.1.

" " " during constant supply, 16.5.

" " " intermittent supply, 9.5.

Table IV.

(Mr. Chadwick's Report of 10th April, 1902. Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of contents of reservoirs, &c., arranged according to the Rain Year 1892-1893.

| MONTH. | POKFULAM. | | TATTAM. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1st OF MONTH. | COLLECTED FROM STREAMS. | TOTAL (Consumption (Filtered).) | MINT DAM AND BLUE POOL (Unfiltered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|----------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|---------------------------------|--------------------------------------|---------------|------------|--|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 66,330,000 | 23,706,000 | 164,000,000 | 49,223,000 | 230,330,000 | 22,492,000 | 95,421,000 | 7,437,000 | 102,858,000 | 8.57 | Constant supply. |
| June, | 66,041,000 | 25,962,000 | 179,000,000 | 57,976,000 | 245,041,000 | 18,493,000 | 102,431,000 | 6,738,000 | 109,169,000 | 34.37 | " |
| July, | 66,330,000 | 27,642,000 | 312,000,000 | 43,713,000 | 378,330,000 | 34,045,000 | 105,400,000 | 8,192,000 | 113,592,000 | 10.79 | " |
| August, | 66,041,000 | 26,931,000 | 312,000,000 | 50,265,000 | 378,041,000 | 30,361,000 | 107,557,000 | 9,466,000 | 117,023,000 | 12.09 | " |
| September, ... | 66,330,000 | 23,760,000 | 312,000,000 | 42,344,000 | 378,330,000 | 32,888,000 | 98,992,000 | 8,612,000 | 107,604,000 | 7.01 | " |
| October, | 66,330,000 | 17,281,000 | 312,000,000 | 55,233,000 | 378,330,000 | 21,506,000 | 94,020,000 | 6,106,000 | 100,126,000 | 0.02 | " |
| November, ... | 60,549,000 | 16,088,000 | 281,000,000 | 59,454,000 | 341,549,000 | 14,366,000 | 89,908,000 | 6,613,000 | 96,521,000 | 0.34 | " |
| December, ... | 52,793,000 | 17,336,000 | 236,000,000 | 59,999,000 | 288,793,000 | 13,920,000 | 91,255,000 | 3,982,000 | 95,237,000 | 0.52 | " |
| January, | 39,800,000 | 16,143,000 | 104,000,000 | 60,175,000 | 203,800,000 | 10,837,000 | 87,155,000 | 4,129,000 | 91,284,000 | 1.53 | " |
| February, ... | 29,400,000 | 15,904,000 | 102,000,000 | 54,008,000 | 131,400,000 | 9,419,000 | 79,331,000 | 1,999,000 | 81,330,000 | 0.46 | " |
| March, | 16,300,000 | 12,970,000 | 46,000,000 | 39,976,000 | 62,300,000 | 7,913,000 | 60,859,000 | 2,078,000 | 62,937,000 | 3.39 | Intermittent supply from 9th. |
| April, | 8,700,000 | 10,941,000 | 14,000,000 | 24,125,000 | 22,700,000 | 10,206,000 | 45,272,000 | 5,327,000 | 50,599,000 | 8.43 | Intermittent supply. |
| Total, | ... | 243,664,000 | ... | 596,491,000 | ... | 226,446,000 | 1,057,601,000 | 70,679,000 | 1,128,280,000 | 87.53 | Intermittent supply, 52 days. Constant supply, ...313 " |

Estimated average population for whole year,163,948

Consumption per head per day for whole year, 17.7

" " " during constant supply, 19.0

" " " " intermittent supply, 9.2

Table V.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

(CITY OF VICTORIA & HILL DISTRICT WATERWORKS.)

Details of Contents of Reservoirs, &c., arranged according to the Rain Year 1893-1894.

| MONTH. | POKFULAM. | | TAITAM. | | TOTAL CONTENTS OF IMPENDING RESERVOIRS, 1ST OF MONTH. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered.) | MINT DAM AND BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|----------------|----------------------------|-------------------------|----------------------------|-------------------------|---|-------------------------|-------------------------------|---------------------------------------|---------------|------------|--|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 31,400,000 | 13,531,000 | 50,000,000 | 32,401,000 | 81,400,000 | 42,459,000 | 88,391,000 | 6,966,000 | 95,357,000 | 16.13 | Constant supply. |
| June, | 66,400,000 | 24,570,000 | 239,000,000 | 39,604,000 | 305,400,000 | 39,083,000 | 103,257,000 | 6,518,000 | 109,775,000 | 7.09 | " |
| July, | 66,200,000 | 21,104,000 | 312,000,000 | 35,867,000 | 378,200,000 | 53,862,000 | 110,833,000 | 2,077,000 | 112,910,000 | 21.22 | " |
| August, | 66,400,000 | 21,082,000 | 312,000,000 | 50,021,000 | 378,400,000 | 38,443,000 | 109,546,000 | 6,544,000 | 116,090,000 | 8.73 | " |
| September, ... | 66,300,000 | 22,862,000 | 312,000,000 | 35,560,000 | 378,300,000 | 48,788,000 | 107,210,000 | 5,753,000 | 112,963,000 | 15.04 | " |
| October, | 66,400,000 | 21,828,000 | 312,000,000 | 35,962,000 | 378,400,000 | 45,909,000 | 103,699,000 | 4,787,000 | 108,486,000 | 17.87 | " |
| November, ... | 66,300,000 | 18,305,000 | 311,000,000 | 52,396,000 | 377,300,000 | 31,085,000 | 101,786,000 | 6,744,000 | 108,530,000 | 0.03 | " |
| December, ... | 60,300,000 | 21,376,000 | 276,000,000 | 57,462,000 | 336,300,000 | 21,889,000 | 100,727,000 | 8,805,000 | 109,532,000 | 0.04 | " |
| January, | 46,242,000 | 16,384,000 | 229,700,000 | 62,086,000 | 275,942,000 | 17,526,000 | 95,996,000 | 4,525,000 | 100,521,000 | 0.89 | " |
| February, | 35,211,000 | 13,320,000 | 156,500,000 | 58,179,000 | 191,711,000 | 16,170,000 | 87,669,000 | 4,524,000 | 92,193,000 | 0.58 | " |
| March, | 27,760,000 | 14,427,000 | 94,600,000 | 56,858,000 | 122,360,000 | 13,845,000 | 85,130,000 | 3,487,000 | 88,617,000 | 0.27 | Intermittent supply from 14th. |
| April, | 13,710,000 | 8,857,000 | 33,800,000 | 28,036,000 | 47,510,000 | 10,158,000 | 47,051,000 | 4,315,000 | 51,366,000 | 2.49 | Intermittent supply. |
| Total, | ... | 217,646,000 | ... | 544,432,000 | ... | 379,217,000 | 1,141,295,000 | 65,045,000 | 1,206,340,000 | 90.38 | Intermittent supply, 47 days. Constant supply, ...318 " |

Estimated average population for whole year,193,000
 Consumption per head per day for whole year, 16.2
 " " during constant supply, 17.2
 " " intermittent supply, 7.9

Table VI.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs, &c., arranged according to the Rain Year 1894-1895.

| MONTH. | POKFULAM. | | TAITAM. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1ST OF MONTH. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered.) | MINT DAM AND BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|----------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|-------------------------------|---------------------------------------|---------------|------------|--|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 10,104,000 | 14,879,000 | 13,950,000 | 25,636,000 | 24,054,000 | 21,443,000 | 61,958,000 | 4,212,000 | 66,170,000 | 20.01 | } Intermittent supply from 1st to 16th. Constant supply, from 17th. |
| June, | 64,945,000 | 18,953,000 | 139,200,000 | 17,079,000 | 204,145,000 | 54,219,000 | 90,251,000 | 11,472,000 | 101,723,000 | 16.54 | |
| July, | 66,330,000 | 18,186,000 | 312,000,000 | 35,766,000 | 378,330,000 | 34,674,000 | 78,626,000 | 2,824,000 | 81,450,000 | 9.47 | Constant supply. |
| August, | 66,330,000 | 22,264,000 | 312,000,000 | 33,473,000 | 378,330,000 | 44,641,000 | 100,378,000 | 6,460,000 | 106,838,000 | 16.53 | " |
| September, ... | 66,234,000 | 21,859,000 | 312,000,000 | 38,137,000 | 378,234,000 | 36,768,000 | 96,764,000 | 8,774,000 | 105,538,000 | 19.11 | " |
| October, | 66,330,000 | 15,959,000 | 312,000,000 | 20,048,000 | 378,330,000 | 62,948,000 | 98,955,000 | 7,801,000 | 106,756,000 | 17.57 | " |
| November, ... | 66,282,000 | 17,040,000 | 321,500,000 | 47,654,000 | 387,782,000 | 29,913,000 | 94,607,000 | 5,701,000 | 100,308,000 | 0.03 | " |
| December, ... | 61,512,000 | 17,608,000 | 290,000,000 | 55,402,000 | 351,512,000 | 21,413,000 | 94,423,000 | 7,761,000 | 102,184,000 | 0.76 | " |
| January, | 51,846,000 | 21,452,000 | 236,150,000 | 54,126,000 | 287,996,000 | 13,043,000 | 88,621,000 | 9,318,000 | 97,939,000 | 0.41 | " |
| February, ... | 35,900,000 | 16,767,000 | 183,967,000 | 46,803,000 | 219,367,000 | 6,313,000 | 69,883,000 | 2,327,000 | 72,210,000 | 0.83 | " |
| March, | 22,771,000 | 10,373,000 | 131,180,000 | 63,889,000 | 153,951,000 | 9,477,000 | 83,739,000 | 3,444,000 | 87,183,000 | 1.39 | " |
| April, | 15,750,000 | 9,209,000 | 63,900,000 | 43,611,000 | 76,650,000 | 7,200,000 | 60,020,000 | 4,028,000 | 64,048,000 | 2.61 | Intermittent supply from 16th. |
| Total, | ... | 204,549,000 | ... | 481,624,000 | ... | 432,052,000 | 1,018,225,000 | 74,122,000 | 1,092,347,000 | 105.26 | Intermittent supply for 20 days. Constant supply,335 " |

Estimated average population for whole year,195,000
 Consumption per head per day for whole year, 14.3
 " " " during constant supply, 15.0
 " " " intermittent supply, 6.5

Table VII.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA AND HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs, &c., arranged according to the Rain Year 1895-1896.

| MONTH. | POKFULAM. | | TATAM. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1st of Month. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered.) | MINT DAM AND BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|-----------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|-------------------------------|---------------------------------------|--------------|------------|--|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 11,190,000 | 6,943,000 | 21,867,000 | 30,595,000 | 33,057,000 | 8,223,000 | 45,761,000 | 5,023,000 | 50,784,000 | 5.64 | Intermittent supply from 1st. |
| June, | 12,210,000 | 20,302,000 | 15,300,000 | 51,389,000 | 27,510,000 | 1,143,000 | 72,834,000 | 8,601,000 | 81,435,000 | 4.97 | Intermittent supply to 3rd. Constant supply 4th to 22nd. |
| July, | 6,484,000 | 23,960,000 | 24,434,000 | 39,789,000 | 30,918,000 | 28,229,000 | 91,978,000 | 7,250,000 | 99,228,000 | 18.87 | Intermittent supply from 23rd. Intermittent supply to 4th. Constant supply from 5th. |
| August, | 66,330,000 | 33,818,000 | 120,250,000 | 26,139,000 | 186,580,000 | 36,665,000 | 96,622,000 | 9,947,000 | 106,569,000 | 6.13 | Constant supply. |
| September, ... | 59,971,000 | 49,502,000 | 190,333,000 | 29,274,000 | 250,304,000 | 10,054,000 | 88,830,000 | 8,871,000 | 97,701,000 | 3.96 | " |
| October, | 39,001,000 | 9,324,000 | 207,600,000 | 25,448,000 | 246,601,000 | 22,337,000 | 57,109,000 | 13,582,000 | 70,691,000 | 0.50 | Intermittent supply from 1st. |
| November, ... | 44,626,000 | 7,573,000 | 211,100,000 | 33,238,000 | 255,726,000 | 14,092,000 | 54,903,000 | 5,647,000 | 60,550,000 | 0.32 | Intermittent supply. |
| December, ... | 43,997,000 | 9,693,000 | 190,567,000 | 35,141,000 | 234,564,000 | 8,498,000 | 53,332,000 | 7,565,000 | 60,897,000 | 0.20 | " |
| January, | 39,690,000 | 9,872,000 | 160,533,000 | 39,600,000 | 200,223,000 | 4,253,000 | 53,725,000 | 6,930,000 | 60,655,000 | 1.73 | " |
| February, | 35,555,000 | 11,310,000 | 128,050,000 | 28,234,000 | 163,605,000 | 11,635,000 | 51,179,000 | 2,773,000 | 53,952,000 | 7.95 | " |
| March, | 39,690,000 | 16,219,000 | 121,400,000 | 31,818,000 | 161,090,000 | 8,921,000 | 56,958,000 | 5,568,000 | 62,526,000 | 1.45 | Intermittent supply to 29th. Constant supply from 30th. |
| April, | 35,900,000 | 21,580,000 | 110,520,000 | 53,051,000 | 146,420,000 | 7,710,000 | 82,341,000 | 6,648,000 | 88,989,000 | 2.10 | " |
| Total, | ... | 220,096,000 | ... | 423,716,000 | ... | 161,760,000 | 805,572,000 | 88,405,000 | 893,977,000 | 53.82 | Intermittent supply, 226 days. Constant supply, ... 140 days. |

Estimated average population for whole year, 179,985
 Consumption per head per day for whole year, 12.2
 " " during constant supply, 16.3
 " " " intermittent supply, 8.2

Table VIII.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs, &c., arranged according to the Rain Year 1896-1897.

| MONTH. | POKFULAM. | | TAITAM. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1st of Month. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered.) | MINT DAM AND BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|----------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|-------------------------------|---------------------------------------|---------------|------------|---|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 24,091,000 | 17,700,000 | 76,100,000 | 63,126,000 | 100,191,000 | 4,355,000 | 85,181,000 | 4,220,000 | 89,407,000 | 1.15 | Constant supply. |
| June, | 11,190,000 | 14,299,000 | 26,066,000 | 24,457,000 | 37,256,000 | 36,504,000 | 75,260,000 | 2,931,000 | 78,191,000 | 18.63 | Intermittent supply from 1st to 14th. |
| July, | 62,456,000 | 52,330,000 | 125,450,000 | 19,676,000 | 187,906,000 | 22,919,000 | 94,925,000 | 5,256,000 | 100,181,000 | 12.42 | Constant supply from 15th. |
| August, | 68,643,000 | 49,336,000 | 254,300,000 | 18,695,000 | 322,943,000 | 33,653,000 | 101,684,000 | 4,442,000 | 106,126,000 | 5.20 | Constant supply. |
| September, ... | 53,691,000 | 22,107,000 | 320,950,000 | 30,603,000 | 374,641,000 | 43,687,000 | 96,397,000 | 5,455,000 | 101,852,000 | 9.99 | " |
| October, | 69,847,000 | 18,451,000 | 352,000,000 | 23,610,000 | 421,847,000 | 46,553,000 | 88,614,000 | 6,705,000 | 95,319,000 | 7.90 | " |
| November, ... | 70,282,000 | 21,470,000 | 364,000,000 | 40,339,000 | 434,282,000 | 19,440,000 | 81,249,000 | 5,098,000 | 86,347,000 | 2.97 | " |
| December, ... | 62,380,000 | 17,662,000 | 364,000,000 | 43,871,000 | 426,380,000 | 19,639,000 | 81,172,000 | 3,832,000 | 85,004,000 | 1.29 | " |
| January, | 56,695,000 | 17,757,000 | 341,000,000 | 50,879,000 | 397,695,000 | 8,360,000 | 76,996,000 | 4,210,000 | 81,206,000 | 2.26 | " |
| February, ... | 46,645,000 | 16,038,000 | 315,087,000 | 46,340,000 | 361,732,000 | 4,279,000 | 66,657,000 | 3,919,000 | 70,576,000 | 1.82 | " |
| March, | 38,398,000 | 17,757,000 | 284,488,000 | 60,513,000 | 322,886,000 | 1,598,000 | 79,868,000 | 6,366,000 | 86,234,000 | 0.82 | " |
| April, | 24,809,000 | 9,450,000 | 237,000,000 | 63,881,000 | 261,809,000 | 2,905,000 | 76,236,000 | 5,976,000 | 82,212,000 | 3.24 | " |
| Total, | ... | 274,357,000 | ... | 485,990,000 | ... | 243,892,000 | 1,004,239,000 | 58,416,000 | 1,062,655,000 | 67.69 | Intermittent supply, 14 days. Constant supply,351 " |

Estimated average population for whole year,187,408
 Consumption per head per day for whole year, 14.6
 " " " during constant supply, 14.8
 " " " intermittent supply, 9.3

Table IX.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs, &c., arranged according to the Rain Year 1897-1898.

| MONTH. | POKFULAM. | | TAITAM. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1ST OF MONTH. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered.) | MINT DAM AND BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|----------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|-------------------------------|---------------------------------------|---------------|------------|------------------------------------|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 20,079,000 | 24,617,000 | 229,200,000 | 45,061,000 | 249,279,000 | 21,132,000 | 90,810,000 | 5,710,000 | 96,520,000 | 14.86 | Constant supply. |
| June, | 63,343,000 | 29,445,000 | 306,083,000 | 39,934,000 | 369,426,000 | 26,157,000 | 95,536,000 | 5,053,000 | 100,589,000 | 23.35 | " |
| July, | 66,330,000 | 24,800,000 | 388,000,000 | 55,996,000 | 454,330,000 | 18,249,000 | 99,045,000 | 9,559,000 | 108,604,000 | 5.57 | " |
| August, | 66,330,000 | 16,003,000 | 372,400,000 | 56,980,000 | 438,630,000 | 18,646,000 | 91,629,000 | 12,633,000 | 104,262,000 | 25.55 | " |
| September, ... | 66,330,000 | 29,785,000 | 388,000,000 | 51,107,000 | 454,330,000 | 13,297,000 | 94,189,000 | 3,264,000 | 97,453,000 | 8.34 | " |
| October, | 68,161,000 | 31,975,000 | 398,250,000 | 46,271,000 | 466,411,000 | 20,176,000 | 98,422,000 | 5,445,000 | 103,867,000 | 6.42 | " |
| November, ... | 63,440,000 | 18,038,000 | 408,500,000 | 56,998,000 | 471,940,000 | 13,831,000 | 88,867,000 | 7,348,000 | 96,215,000 | 7.32 | " |
| December, ... | 68,113,000 | 9,050,000 | 401,667,000 | 68,593,000 | 469,780,000 | 6,209,000 | 83,852,000 | 6,806,000 | 90,658,000 | 0.48 | " |
| January, | 67,800,000 | 18,402,000 | 356,250,000 | 65,384,000 | 424,050,000 | 1,858,000 | 85,644,000 | 6,113,000 | 91,757,000 | 1.16 | " |
| February, ... | 57,880,000 | 9,124,000 | 305,000,000 | 68,548,000 | 362,800,000 | 1,237,000 | 78,929,000 | 6,204,000 | 85,133,000 | 2.52 | " |
| March, | 54,740,000 | 9,664,000 | 249,400,000 | 77,909,000 | 304,140,000 | 349,000 | 87,922,000 | 3,980,000 | 91,902,000 | 0.17 | " |
| April, | 49,080,000 | 20,936,000 | 183,080,000 | 67,325,000 | 232,160,000 | 5,020,000 | 93,281,000 | 4,960,000 | 99,241,000 | 3.44 | " |
| Total, | .. | 241,839,000 | ... | 700,106,000 | ... | 146,161,000 | 1,088,126,000 | 78,075,000 | 1,166,201,000 | 99.18 | Constant supply during whole year. |

Estimated average population for whole year,191,500

Consumption per head per day for whole year, 15.5

Wet Season.

Dry Season.

Table X.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs, &c., arranged according to the Rain Year 1898-1899.

| MONTH. | POKFULAM. | | TAITAM. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1ST OF MONTH. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered.) | MINT DAM AND BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|-----------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|-------------------------------|---------------------------------------|---------------|------------|---|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 34,980,000 | 26,332,000 | 148,100,000 | 58,879,000 | 183,080,000 | 3,337,000 | 88,548,000 | 7,511,000 | 96,059,000 | 5.70 | Constant supply. |
| June, | 15,600,000 | 19,009,000 | 142,470,000 | 61,629,000 | 158,070,000 | 15,255,000 | 95,893,000 | 5,538,000 | 101,431,000 | 14.25 | " |
| July, | 63,440,000 | 32,260,000 | 240,640,000 | 51,963,000 | 304,080,000 | 18,298,000 | 102,521,000 | 4,135,000 | 106,656,000 | 7.05 | " |
| August, | 66,000,000 | 35,324,000 | 270,130,000 | 32,925,000 | 336,130,000 | 32,327,000 | 100,576,000 | 2,686,000 | 103,262,000 | 9.90 | " |
| September, ... | 66,000,000 | 41,213,000 | 364,550,000 | 47,294,000 | 430,550,000 | 18,512,000 | 107,019,000 | 5,363,000 | 112,382,000 | 5.30 | " |
| October, | 58,960,000 | 26,404,000 | 372,200,000 | 46,573,000 | 431,160,000 | 24,880,000 | 97,857,000 | 4,626,000 | 102,483,000 | 6.72 | " |
| November, ... | 66,360,000 | 26,511,000 | 394,880,000 | 60,111,000 | 461,240,000 | 10,219,000 | 96,841,000 | 4,382,000 | 101,223,000 | 0.79 | " |
| December, ... | 51,640,000 | 24,919,000 | 352,800,000 | 69,990,000 | 404,440,000 | 3,332,000 | 98,241,000 | 3,750,000 | 101,991,000 | 0.02 | " |
| January, | 32,880,000 | 9,518,000 | 292,300,000 | 73,161,000 | 325,180,000 | 13,546,000 | 96,225,000 | 3,834,000 | 100,059,000 | 0.19 | " |
| February, | 15,900,000 | 14,825,000 | 226,620,000 | 67,332,000 | 242,520,000 | 3,808,000 | 85,965,000 | 3,501,000 | 89,466,000 | 2.20 | " |
| March, | 4,200,000 | 5,668,000 | 169,300,000 | 90,082,000 | 173,500,000 | 242,000 | 95,992,000 | 1,713,000 | 97,705,000 | 0.32 | " |
| April, | 1,350,000 | 2,638,000 | 82,850,000 | 52,315,000 | 84,200,000 | 1,309,000 | 56,262,000 | 917,000 | 57,179,000 | 3.14 | Intermittent supply 1st to 30th. |
| Total, | ... | 264,621,000 | ... | 712,254,000 | ... | 145,065,000 | 1,121,940,000 | 47,956,000 | 1,169,896,000 | 55.58 | Intermittent supply, 30 days. Constant supply, ... 335 " |

Estimated average population for whole year, 197,000
 Consumption per head per day for whole year, ... 15.6
 " " " during constant supply, 16.1
 " " " intermittent supply, 11.6

Table XI.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA AND HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs &c. arranged according to the Rain Year 1899-1900.

| MONTH. | POKFULAM. | | TAITAM. | | WONG-NEI-CHEONG. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1ST OF MONTH. | TOTAL COLLECTED FROM STREAMS. | TOTAL (CONSUMPTION (Filtered.) | MINT DAM BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|------------------|----------------------------|-------------------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------------|--------------------------------|-----------------------------------|---------------|------------|--|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 4,760,000 | 14,053,000 | 42,160,000 | 65,422,000 | Under. | construction. | 46,920,000 | 4,724,000 | 84,209,000 | 1,090,000 | 85,299,000 | 7.16 | { Intermittent supply to 10th. { Constant supply to 25th. { Intermittent supply to 3 st. |
| June, | 3,200,000 | 20,355,000 | 20,610,000 | 28,021,000 | 1,442,000 | 10,892,000 | 25,252,000 | 33,883,000 | 93,151,000 | 2,174,000 | 95,325,000 | 18.98 | { Intermittent supply to 7th. { Constant supply on 5th. |
| July, | 66,180,000 | 41,625,000 | 257,200,000 | 20,772,000 | 22,557,000 | 19,722,000 | 345,937,000 | 32,644,000 | 114,763,000 | 2,025,000 | 116,788,000 | 10.13 | Constant supply. |
| August, | 60,160,000 | 19,549,000 | 385,520,000 | 29,349,000 | 19,426,000 | 4,804,000 | 465,106,000 | 61,891,000 | 115,593,000 | 2,140,000 | 117,733,000 | 19.98 | " |
| September, | 66,180,000 | 23,352,000 | 392,680,000 | 25,349,000 | 30,459,000 | Nil. | 489,319,000 | 65,645,000 | 114,346,000 | 7,708,000 | 122,054,000 | 6.30 | " |
| October, | 67,080,000 | 27,290,000 | 407,000,000 | 40,087,000 | 30,580,000 | 12,523,000 | 504,660,000 | 27,685,000 | 107,586,000 | 7,090,000 | 114,676,000 | 0.88 | " |
| November, | 54,000,000 | 11,230,000 | 395,620,000 | 61,872,000 | 13,335,000 | 18,611,000 | 462,955,000 | 4,984,000 | 96,697,000 | 5,647,000 | 102,344,000 | 1.64 | " |
| December, | 49,350,000 | 11,438,000 | 347,700,000 | 79,079,000 | 679,000 | 2,611,000 | 397,729,000 | 7,888,000 | 101,016,000 | 6,861,000 | 107,877,000 | 1.79 | " |
| January, | 44,960,000 | 12,965,000 | 285,190,000 | 83,249,000 | Nil. | Nil. | 330,150,000 | 1,969,000 | 98,183,000 | 2,163,000 | 100,346,000 | 0.77 | " |
| February, | 36,340,000 | 6,240,000 | 210,880,000 | 80,090,000 | " | " | 247,220,000 | 1,183,000 | 87,513,000 | 3,346,000 | 90,859,000 | 2.64 | " |
| March, | 31,640,000 | 5,457,000 | 142,000,000 | 84,411,000 | 207,000 | " | 176,847,000 | 4,450,000 | 91,318,000 | 3,297,000 | 97,615,000 | 3.02 | " |
| April, | 37,320,000 | 23,757,000 | 74,791,000 | 71,689,000 | 1,176,000 | " | 113,287,000 | 1,216,000 | 96,662,000 | 4,659,000 | 101,321,000 | 2.78 | " |
| Total, | ... | 217,321,000 | ... | 669,390,000 | ... | 69,163,000 | ... | 248,163,000 | 1,204,037,000 | 48,200,000 | 1,252,237,000 | 76.07 | { Intermittent supply 23 days. { Constant supply 342 days. |

Estimated average population for whole year, 202,500
 Consumption per head per day for whole year, 16.3
 " " " during constant supply, 16.6
 " " " intermittent supply, 13.4

Table XII.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs &c. arranged according to the Rain Year 1900-1901.

| MONTH. | POKFULAM. | | TAITAM. | | WONG-NEL-CHEONG. | | TOTAL CONTENTS OF LIFOUNDING RESERVOIRS, 1ST OF MONTH. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered.) | MINT DAM BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|---------------|----------------------------|-------------------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|-------------------------------|-----------------------------------|---------------|------------|---|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 23,500,000 | 22,907,000 | 23,610,000 | 57,615,000 | 1,816,000 | Nil. | 48,926,000 | 17,881,000 | 98,403,000 | 6,340,000 | 104,743,000 | 9.31 | Intermittent supply to 13th. Constant supply from 14th. |
| June, | 51,400,000 | 13,758,000 | 89,453,000 | 39,781,000 | 14,280,000 | " | 140,853,000 | 43,862,000 | 97,401,000 | 5,479,000 | 102,880,000 | 26.52 | |
| July, | 68,740,000 | 18,723,000 | 389,840,000 | 38,598,000 | 30,702,000 | " | 489,282,000 | 65,474,000 | 122,795,000 | 2,142,000 | 124,937,000 | 10.13 | " Constant supply. |
| August, | 68,200,000 | 27,390,000 | 385,520,000 | 68,233,000 | 30,337,000 | " | 404,057,000 | 36,447,000 | 132,070,000 | 2,067,000 | 134,137,000 | 6.69 | |
| September, .. | 65,640,000 | 28,330,000 | 379,900,000 | 42,778,000 | 28,236,000 | 24,667,000 | 473,776,000 | 26,642,000 | 122,417,000 | 3,575,000 | 125,992,000 | 4.31 | " " |
| October, ... | 65,280,000 | 22,341,000 | 393,770,000 | 82,706,000 | 5,849,000 | 7,491,000 | 464,899,000 | 3,566,000 | 118,104,000 | 1,695,000 | 119,799,000 | 1.61 | |
| November, .. | 54,380,000 | 18,056,000 | 336,400,000 | 79,659,000 | 1,941,000 | Nil. | 392,721,000 | 6,360,000 | 104,075,000 | 284,000 | 104,359,000 | 5.78 | " " |
| December, .. | 64,740,000 | 17,757,000 | 342,520,000 | 86,258,000 | 11,588,000 | " | 418,848,000 | 5,479,000 | 109,494,000 | 1,734,000 | 111,228,000 | 0.15 | |
| January, ... | 55,500,000 | 18,847,000 | 275,260,000 | 87,246,000 | 10,160,000 | " | 340,920,000 | 1,106,000 | 107,199,000 | 1,429,000 | 108,628,000 | 0.68 | " " |
| February, .. | 42,860,000 | 17,886,000 | 204,365,000 | 64,354,000 | 8,418,000 | 9,114,000 | 235,643,000 | 207,000 | 91,561,000 | 2,139,000 | 93,680,000 | 0.77 | |
| March, | 26,300,000 | 19,454,000 | 145,480,000 | 92,594,000 | 368,000 | 670,000 | 172,148,000 | Nil. | 112,718,000 | 558,000 | 113,276,000 | 1.27 | " Intermittent supply 7th to 9th then constant supply. |
| April, | 8,600,000 | 14,929,000 | 64,360,000 | 70,319,000 | 270,000 | 4,135,000 | 73,230,000 | 4,706,000 | 94,089,000 | 282,000 | 94,371,000 | 0.03 | |
| Total, | ... | 240,378,000 | ... | 812,141,000 | ... | 46,077,000 | ... | 211,730,000 | 1,310,326,000 | 27,724,000 | 1,338,030,000 | 67.25 | Intermittent supply 16 days. Constant supply 349 days. |

Estimated average population for whole year,210,600
 Consumption per head per day for whole year, 17.0
 " " " during constant supply, 17.2
 " " " intermittent supply, 13.0

Table XIII.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs &c. arranged according to the Rain Year 1901-1902.

| MONTH. | POKFULAM. | | TAITAM. | | WONG-NEI-CHEONG. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1st of MONTH. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered.) | MINT DAM BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|---------------|----------------------------|-------------------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|-------------------------------|-----------------------------------|---------------|------------|---|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 14,140,000 | 24,103,000 | 36,900,000 | 46,135,000 | Nil. | 19,916,000 | 51,040,000 | 16,024,000 | 106,178,000 | 302,000 | 106,480,000 | 14.10 | Constant supply. |
| June, | 55,860,000 | 26,627,000 | 186,640,000 | 64,544,000 | 8,473,000 | 18,832,000 | 250,973,000 | 1,116,000 | 111,119,000 | 322,000 | 111,441,000 | 2.34 | " |
| July, | 43,040,000 | 27,057,000 | 189,580,000 | 93,585,000 | 23,000 | 5,437,000 | 232,643,000 | 2,052,000 | 128,131,000 | 280,000 | 128,411,000 | 5.58 | " |
| August, | 34,000,000 | 17,015,000 | 145,260,000 | 63,079,000 | Nil. | 19,113,000 | 179,260,000 | 20,322,000 | 119,529,000 | 671,000 | 120,200,000 | 14.00 | " |
| September, .. | 69,640,000 | 26,836,000 | 315,670,000 | 72,548,000 | 9,781,000 | 17,590,000 | 395,091,000 | 10,317,000 | 127,291,000 | 759,000 | 128,050,000 | 3.89 | " |
| October, | 53,400,000 | 28,858,000 | 292,300,000 | 89,350,000 | 253,000 | Nil. | 345,953,000 | 6,164,000 | 124,372,000 | 339,000 | 124,711,000 | 2.51 | " |
| November, .. | 38,740,000 | 20,070,000 | 234,140,000 | 66,910,000 | 3,257,000 | " | 276,137,000 | 586,000 | 87,566,000 | 227,000 | 87,793,000 | 0.77 | Constant supply to 10th. Intermittent supply from 11th. |
| December, . | 22,500,000 | 13,270,000 | 181,645,000 | 58,118,000 | 3,458,000 | " | 207,603,000 | 5,511,000 | 76,899,000 | 444,000 | 77,343,000 | 0.84 | Intermittent supply. |
| January, ... | 11,620,000 | 9,758,000 | 131,170,000 | 52,627,000 | 3,190,000 | 3,765,000 | 145,980,000 | 28,000 | 66,178,000 | 475,000 | 66,653,000 | 0.28 | " |
| February, .. | 4,100,000 | 4,003,000 | 89,220,000 | 38,684,000 | 116,000 | Nil. | 93,436,000 | 1,530,000 | 44,217,000 | 586,000 | 44,803,000 | 0.02 | " |
| March, | 2,040,000 | 3,084,000 | 54,690,000 | 33,183,000 | 305,000 | " | 57,035,000 | 3,201,000 | 39,468,000 | 430,000 | 39,898,000 | 0.48 | " |
| April, | Nil. | 2,763,000 | 26,490,000 | 24,699,000 | 293,000 | " | 26,783,000 | 2,694,000 | 30,156,000 | 919,000 | 31,075,000 | 1.84 | " |
| Total, | ... | 203,444,000 | ... | 703,462,000 | ... | 84,653,000 | ... | 69,545,000 | 1,061,101,000 | 5,754,000 | 1,066,858,000 | 46.65 | Intermittent supply 171 days. Constant supply 194 days. |

Estimated average population for whole year,215,600

Consumption per head per day for whole year, 13.5

" " " during constant supply, 18.5

" " " intermittent supply, 8.7

Table XIV.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs &c. arranged according to the Rain Year 1902-1903.

| MONTH. | POKFULAM. | | TAITAM. | | WONG-NEI-CHEONG. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1st OF MONTH. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered.) | MINT DAM BLUE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|---------------|----------------------------|-------------------------|----------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|-------------------------------|-----------------------------------|---------------|------------|--|
| | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | Nil. | 5,705,000 | 8,920,000 | 8,488,000 | 259,000 | 3,074,000 | 9,179,000 | 32,375,000 | 49,642,000 | 2,886,000 | 52,228,000 | 26.73 | Intermittent supply up to 24th. Constant supply from 25th. |
| June, | 66,000,000 | 28,819,000 | 272,695,000 | 42,411,000 | 33,505,000 | 4,681,000 | 372,200,000 | 35,420,000 | 111,331,000 | 3,442,000 | 114,773,000 | 15.44 | |
| July, | 66,000,000 | 13,628,000 | 384,800,000 | 22,905,000 | 32,895,000 | 22,651,000 | 483,695,000 | 62,995,000 | 122,179,000 | 3,131,000 | 125,310,000 | 16.26 | |
| August, | 66,000,000 | 18,271,000 | 384,800,000 | 56,563,000 | 33,260,000 | 869,000 | 484,060,000 | 29,845,000 | 105,548,000 | 3,197,000 | 108,745,000 | 26.50 | |
| September, | 66,000,000 | 26,184,000 | 384,800,000 | 68,617,000 | 30,090,000 | 3,156,000 | 480,890,000 | 20,361,000 | 118,318,000 | 1,949,000 | 120,267,000 | 0.64 | |
| October, | 59,980,000 | 27,751,000 | 357,010,000 | 62,823,000 | 20,991,000 | 23,858,000 | 437,981,000 | 8,379,000 | 122,811,000 | 397,000 | 123,208,000 | 0.94 | |
| November, . | 41,350,000 | 15,816,000 | 312,610,000 | 34,905,000 | Nil. | 1,203,000 | 353,960,000 | 15,911,000 | 67,835,000 | 3,846,000 | 71,681,000 | 5.40 | Intermittent supply from 1st. |
| December, .. | 32,560,000 | 17,542,000 | 298,900,000 | 44,060,000 | 1,057,000 | Nil. | 332,517,000 | 8,232,000 | 69,834,000 | 3,495,000 | 73,329,000 | 2.96 | |
| January, ... | 21,600,000 | 14,912,000 | 270,070,000 | 57,338,000 | 1,900,000 | | 293,570,000 | 231,000 | 72,481,000 | 1,707,000 | 74,188,000 | 1.37 | |
| February, .. | 10,645,000 | 12,084,000 | 222,520,000 | 46,706,000 | 2,369,000 | | 235,534,000 | 1,841,000 | 60,631,000 | 1,693,000 | 62,324,000 | 0.21 | |
| March, | 1,000,000 | 4,191,000 | 181,235,000 | 57,237,000 | 2,219,000 | | 184,454,000 | 3,368,000 | 64,796,000 | 1,736,000 | 66,532,000 | 2.65 | |
| April, | 2,400,000 | 5,256,000 | 129,070,000 | 53,911,000 | 2,319,000 | 1,084,000 | 133,789,000 | 7,707,000 | 67,958,000 | 1,933,000 | 69,891,000 | 4.72 | |
| Total, | ... | 190,159,000 | ... | 555,964,000 | ... | 60,576,000 | ... | 226,665,000 | 1,033,364,000 | 29,412,000 | 1,002,776,000 | 103.82 | Intermittent supply, 205 days. Constant supply, 160 days. |

Estimated average population for whole year,214,300

Consumption per head per day for whole year,13.6

..... during constant supply,17.6

..... intermittent supply,10.5

Table XVI.

(Mr. Chadwick's Report of 10th April, 1902, Paragraphs 25 & 26.)

CITY OF VICTORIA & HILL DISTRICT WATERWORKS.

Details of Contents of Reservoirs, &c. arranged according to the Rain Year 1904-1905.

| MONTH. | POKFULAM. | | TAITAM RESERVOIRS. | | | WONG-NEI-CHEONG. | | TOTAL CONTENTS OF IMPOUNDING RESERVOIRS, 1st OF MONTH. | COLLECTED FROM STREAMS. | TOTAL CONSUMPTION (Filtered) | MINT DAM BULE POOL (Un-filtered.) | GRAND TOTAL. | RAIN-FALL. | REMARKS. |
|------------------|----------------------------|-------------------------|------------------------------------|----------------------------------|-------------------------|----------------------------|-------------------------|--|-------------------------|------------------------------|-----------------------------------|--------------|--|----------|
| | In Reservoir 1st of month. | Discharged into Tunnel. | Pywash. In Reservoir 1st of month. | Main. In Reservoir 1st of month. | Discharged into Tunnel. | In Reservoir 1st of month. | Discharged into Tunnel. | | | | | | | |
| May, | 1,300,000 | 9,219,000 | Nil. | 57,800,000 | 43,190,000 | 531,000 | 59,681,000 | 24,522,000 | 76,931,000 | 4,520,000 | 81,451,000 | 7.70 | Intermittent supply. | |
| June, | 8,200,000 | 12,705,000 | " | 59,300,000 | 44,594,000 | 4,060,000 | 71,560,000 | 24,046,000 | 88,893,000 | 4,207,000 | 93,100,000 | 19.64 | " | |
| July, | 66,000,000 | 19,951,000 | 5,334,000 | 263,340,000 | 59,093,000 | 30,459,000 | 365,133,000 | 30,258,000 | 133,702,000 | 511,000 | 134,213,000 | 7.82 | Intermittent supply to 27th. Constant supply from 28th. | |
| August, | 63,350,000 | 15,028,000 | 7,315,000 | 373,250,000 | 71,326,000 | 16,986,000 | 460,911,000 | 44,644,000 | 139,610,000 | 576,000 | 140,186,000 | 27.61 | Constant supply. | |
| September, | 70,220,000 | 24,505,000 | 26,301,000 | 407,000,000 | 58,531,000 | 33,138,000 | 536,659,000 | 44,821,000 | 137,913,000 | 415,000 | 138,328,000 | 9.77 | " | |
| October, | 69,860,000 | 38,693,000 | 26,235,000 | 407,000,000 | 59,851,000 | 33,199,000 | 536,294,000 | 25,059,000 | 140,058,000 | 3,476,000 | 143,534,000 | 2.00 | " | |
| November, | 56,220,000 | 22,209,000 | 18,526,000 | 406,220,000 | 73,770,000 | 15,760,000 | 496,726,000 | 16,272,000 | 131,895,000 | 2,647,000 | 134,542,000 | 0.21 | " | |
| December, | 42,680,000 | 11,941,000 | Nil. | 385,160,000 | 101,949,000 | Nil. | 427,840,000 | 9,421,000 | 124,669,000 | 2,971,000 | 127,640,000 | 0.23 | " | |
| January, | 35,680,000 | 17,991,000 | " | 306,200,000 | 101,454,000 | " | 341,880,000 | 12,756,000 | 132,860,000 | 738,000 | 133,598,000 | 1.80 | Constant supply to 26th. Intermittent supply from 27th. | |
| February, | 21,225,000 | 15,266,000 | " | 225,030,000 | 86,224,000 | 132,000 | 246,387,000 | 6,310,000 | 107,850,000 | 875,000 | 108,725,000 | 1.10 | Intermittent supply to 28th. Constant supply from 29th. | |
| March, | 9,400,000 | 7,231,000 | " | 154,500,000 | 41,718,000 | 552,000 | 164,452,000 | 38,132,000 | 88,281,000 | 366,000 | 88,647,000 | 11.48 | Constant supply. | |
| April, | 44,960,000 | 20,112,000 | 1,639,000 | 200,420,000 | 78,669,000 | 10,613,000 | 257,632,000 | 12,077,000 | 124,422,000 | 576,000 | 124,998,000 | 1.24 | Constant supply. | |
| Total, | ... | 214,901,000 | ... | ... | 820,529,000 | ... | ... | 288,319,000 | 1,427,084,000 | 21,878,000 | 1,448,962,000 | 90.63 | Constant supply, 248 days. Intermittent supply, 177 days. | |

Wet Season.

Dry Season.

Estimated average population for the whole year, 225,800
 Consumption per head per day for the whole year, 17.3
 " " " during constant supply, 19.1
 " " " intermittent supply, 12.0